

Ammonia Marine Test Kit Page 1 of 10

Date of issue: 09/08/2016 Date of revision: 21/11/18 Version no.: 2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier 1.1**

Product name: Ammonia MarineTest Kit

Product code: R21460

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Aquarium water quality test kit.

# 1.3 Details of the supplier of the safety data sheet

Red Sea Fish Pharm Ltd Free Trade Industrial Zone Eilat 88000 Israel

Tel: +972-9-9567107

E-mail address of person responsible for this SDS: <a href="mailto:sharonr@redseafish.com">sharonr@redseafish.com</a>

#### 1.4 Emergency telephone number

Emergency telephone number (with hours of operation): N/A

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to 29 CFR 1910.1200 (OSHA HCS):

Ammonia test kit

Reagent A	Reagent B	Reagent C	
Not classified	Met. Corr. 1 H290	Not classified	
	Skin Corr. 1A H314		
	Aquatic Acute 2 H401		

# Classification in accordance to Regulation (EC) No. 1272/2008 (CLP):

Ammonia test kit

Aminoma tost kit			
Reagent A	Reagent B	Reagent C	
Not classified	Met. Corr. 1 H290	Not classified	
	Skin Corr. 1A H314		
	EUH031		

#### 2.2 Label elements

# Labelling according to 29 CFR 1910.1200 (OSHA HCS)

Ammonia test kit- Reagent A

<u>Hazard pictogram(s):</u> Not required <u>Signal word:</u> Not required <u>Hazard</u>

statement(s): Not required

Precautionary Statement(s): Not required

#### Ammonia test kit- Reagent B

# <u>Hazard pictogram(s):</u>



Ammonia Test Kit Page 1 of 10



#### Signal word: Danger

# Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H401: Toxic to aquatic life.

# Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original packaging.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Immediately call a POISON Center or doctor/physician.

P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

P273: Avoid release to the environment.

# Ammonia test kit- Reagent C

Hazard pictogram(s): Not required Signal word: Not required Hazard

statement(s): Not required

Precautionary Statement(s): Not required

# Labelling in accordance with Regulation 1272/2008 (CLP)

## Ammonia test kit- Reagent A

Hazard pictogram(s): Not required Signal word: Not required Hazard

statement(s): Not required

Precautionary Statement(s): Not required

# Ammonia test kit- Reagent B

#### Hazard pictogram(s):



# Signal word: Danger

# Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

## Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a

POISON Center or doctor/physician.



Ammonia Test Kit Page 1 of 10

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician. P363: Wash contaminated clothing before reuse.

# Supplemental Hazard information (EU): EUH031:

Contact with acids liberates toxic gas.

#### Ammonia test kit- Reagent C

<u>Hazard pictogram(s):</u> Not required <u>Signal word:</u> Not required <u>Hazard</u>

statement(s): Not required

Precautionary Statement(s): Not required

#### 2.3 Other hazard

Ammonia test kit - Reagent B

Hazards not otherwise classified (HNOC) or not covered by

GHS: Contact with acids liberates toxic gas.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures:

#### Ammonia test kit - Reagent A

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Sodium salicylate	CAS number: 54-21-7 EC number: 200-198-0	5-10	Acute Tox. 4 H302 Eye Irrit. 2 H319	Acute Tox. 4 H302 Eye Irrit. 2A H319

Ammonia test kit - Reagent B

Substance name	Identifiers	%	CLP	OSHA HCS
			Classification	Classification
Sodium hypochlorite (7% Cl <sub>2</sub> Sol)	CAS number: 7681-52-9 EC number: 231-668-3	5-10	Skin Corr. 1B H314 Aquatic Acute 1 H400 EUH031	Skin Corr. 1B H314 Aquatic Acute 1 H400
Sodium hydroxide	CAS number: 1310-73-2 EC number: 215-185-5	5-10	Skin Corr. 1A H314	Skin Corr. 1A H314

Ammonia test kit - Reagent C

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Sodium nitroprusside	CAS number: 14402-89-2 EC number: 238-373-9	<1	Acute Tox. 3 H301	Acute Tox. 3 H301

See section 16 for the full text of the H-statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in section 8.



Ammonia Test Kit Page 1 of 10

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eyes contact: In case of contact with eyes, rinse immediately with plenty of water for at

least 15 minutes. Get medical attention.

**Skin contact:** Take off contaminated clothing and shoes immediately. Wash off with soap and

plenty of water. Get medical attention.

**Inhalation:** Remove the victim from site of exposure to fresh air. If breathing is difficult,

give oxygen. If not breathing give artificial respiration. Get medical attention.

**Ingestion:** Do not induce vomiting. If victim is conscious, wash mouth thoroughly with

plenty of water. Never give anything by mouth to an unconscious person. Get

medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Not available

# **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

<u>Suitable</u>: Use extinguishing media suitable to the surroundings such as, dry chemical powder, chemical foam, water spray and carbon dioxide.

Not suitable: N/A

#### 5.2 Special hazards arising from the substance or mixture

The reagents tend to be water based and are not combustible or explosive. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness. Toxic fumes may be evolved on thermal decomposition.

# 5.3 Advice for firefighters

**Special protective equipment for fire fighters:** Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Ventilate area of spill.

#### **6.2 Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas.

#### 6.3 Methods and materials for containment and cleaning up

<u>For liquid:</u> Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. <u>For solid:</u> Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.



Ammonia Test Kit Page 1 of 10

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapors, mist or gas. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

# 7.2 Conditions for safe storage, including any incompatibilities

**Storage:** Keep only in original container. Avoid large temperature changes and store in a cool, dry, well ventilated environment and away from direct sunlight. Keep containers closed when not in use. Keep away from acids, alkalis, oxidizing compounds and metals.

#### 7.3 Specific end use(s): N/A

#### **SECTION 8: Exposure control/personal protection**

#### 8.1 Control parameters

Substance name	Occupational exposure limits	
Sodium hydroxide	ACGIH-TLV 2 mg/m³ (CEIL) OSHA-PEL 2 mg/m³ (TWA) NIOSH-REL 2 mg/m³ (CEIL), 15M	

#### **8.2 Exposure controls**

#### **Engineering measures**

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

# Person protective measures

<u>Respiratory protection:</u> Wear appropriate respirator when ventilation is inadequate. Be sure to use an approved/certified equipment or equivalent equipment.

<u>Hand protection:</u> Wear protective gloves to prevent skin exposure. <u>Eye</u>

protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required. However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

Ammonia Test Kit Page 1 of 10

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Ammonia pro test kit

- ANNIHOLING PTO COCK TAIL	Reagent A	Reagent B	Reagent C
Appearance:	white granular	colorless liquid	amber liquid
	powder		
Odour:	pungent	none	none
Odour threshold:	N/A	N/A	N/A
pH:	N/A	13	N/A
Melting point/Freezing point:	N/A	N/A	N/A
Initial boiling point/boiling range:	N/A	N/A	N/A
Flash point:	N/A	N/A	N/A
Evaporation rate:	N/A	N/A	N/A
Flammability:	non-combustible	non-combustible	non-combustible
Upper/lower flammability or explosive limits:	N/A	N/A	N/A
Vapor pressure:	N/A	N/A	N/A
Vapor density:	N/A	N/A	N/A
Relative Density:	N/A	N/A	N/A
Solubility(ies):	completely	completely	completely
	soluble in water	soluble in water	soluble in water
	to give an acidic	to give an acidic	to give an
	solution	solution	acidic solution
Partition coefficient Octanol/Water:	N/A	N/A	N/A
Auto-ignition temperature:	N/A	N/A	N/A
Decomposition temperature:	N/A	N/A	N/A
Viscosity:	N/A	N/A	N/A
Explosive properties:	N/A	N/A	N/A
Oxidizing properties:	N/A	N/A	N/A

# 9.2 Other information

Not available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Not available.

# 10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

# 10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

# 10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.

# 10.5 Incompatible materials

Acids, alkalis, oxidising compounds and metals. May produce heat.

# 10.6 **Hazardous decomposition products**Other decomposition products: not available In

the event of fire: see section 5



Ammonia Test Kit Page 1 of 10

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity:

Product/substance name	Test	Species	Dose
Sodium salicylate	LD50, Oral	Rat	930 mg/kg
Sodium nitroprusside	LD50, Oral	Rat	99 mg/kg

Skin corrosion/irritation: Not available

Serious eye damage/irritation: Not available

<u>Respiratory or skin sensitization:</u> No compounds present in the reagents have been identified as having sensitising properties.

Germ cell mutagenicity: Not available

Carcinogenicity: Not available

Reproductive toxicity: Not available

Specific target organ toxicity (single exposure): Not available

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

#### Other effects:

Ammonia test kit

Reagent C: Contains sodium nitroprusside and if ingested could cause headaches, nausea and incoordination.

Reagent A: Inhalation of spray or mist will irritate the respiratory system and ingestion will damage the linings of the mouth, throat and gastro-intestinal tract. Inhalation of spray or mist will irritate the respiratory system and ingestion may damage the linings of the mouth, throat and gastro-intestinal tract.

Reagent B: Classified as being corrosive due to the level of sodium hydroxide and sodium hypochlorite present and will cause local damage in contact with tissue of the eyes and skin. Inhalation of spray or mist will irritate the respiratory system and ingestion will damage the linings of the mouth, throat and gastro-intestinal tract. Inhalation of spray or mist will irritate the respiratory system and ingestion may damage the linings of the mouth, throat and gastro-intestinal tract.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Not available

12.2 Persistence and Degradability

Not available

12.3 Bioaccumulative potential

Not available

12.4 Mobility in soil

Not available

12.5 Results of PBT and vPvB assessment

Not available

12.6 Other adverse effects



Ammonia Test Kit Page 1 of 10

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### **Product**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

#### <u>Packing</u>

Empty containers should be taken for local recycling, recovery or waste disposal.

# **SECTION 14: Transport information**

14.1 Un number

ADR/RID: 3316 IMDG: 3316 IMTA: 3316 DOT (US): 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT

**IMDG:** CHEMICAL KIT

IATA: Chemical kit

DOT (US): Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9 DOT (US): 9

14.4 Packing group

ADR/RID: II IMDG: - IATA: II DOT (US): II

14.5 Environmental hazard

ADR/RID: - IMDG: - IMTA: - DOT(US): -

# 14.6 Special precautions for user

Not available

#### 14.7 Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

# **SECTION 15: Regulatory information**

This SDS complies with the following requirements of: EU Regulation (EC) No.1907/2006 (REACH) including amendments Regulation (EC) No.1272/2008 (CLP) 29 CFR 1910.1200 (OSHA HCS)

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### TSCA inventory

Ammonia Test Kit Page 1 of 10

# 15.1 Chemical safety assessment

Not available

# **SECTION 16: Other information**

#### **NFPA Rating:**

Ammonia pro test kit

Reagent A	Reagent B	Reagent C
Health hazard: 0	Health hazard: 3	Health hazard: 0
Fire Hazard: 0	Fire Hazard: 0	Fire Hazard: 0
Reactivity Hazard: 0	Reactivity Hazard: 0	Reactivity Hazard: 0

## Full text of Hazards Statements referred to in sections 2 and 3:

Met. Corr. - Substance or mixture corrosive to metals

Acute Tox. - Acute toxicity Skin Corr. - Skin corrosion

Eye Irrit.- Eye irritation

STOT SE - Specific target organ toxicity — single exposure

Aquatic Acute - Hazardous to the aquatic environment Aquatic Chronic - Hazardous to the aquatic environment

H290: May be corrosive to metals.

H301: Toxic if swallowed. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

EUH031: Contact with acids liberates toxic gas.

Training advice: Before using/handling the product one must read carefully present SDS.

#### Key Legend Information:

CAS - Chemical Abstract Service

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NTP - National Toxicology program

IARC - International Agency for Research on Cancer

N/A - Not available

H-statements - Hazard statements

TLV - Threshold Limit Value

TWA - Time-weighted average

STEL - Short-Term Exposure Limit

CSA - Chemical safety assessment

TSCA - United States Toxic Substances Control Act Inventory

Date of issue: 09/08/2016

Version no.: 1



Ammonia Test Kit Page 1 of 10

This SDS and the information presented within it are based on data held by Hazmat, Ltd. and the current legislation as at the date stated on it. Anyone wishing to make use of the information presented within this document is obligated to update its instructions from time to time. The information presented in the SDS is based on the manufacturer's data and/ or the supplier of the substance/ product which is the subject of this SDS, as provided to Hazmat, Ltd. by the client and in the absence of such data the information was taken from a variety of literary professional sources. The information presented in this SDS is appropriate for the uses specified in paragraph 1 of the SDS only. It is emphasized, that the information specified in this SDS does not replace specific safety instructions for uses of the substance/ product which is the subject of this SDS, which were not explicitly specified in the SDS. Individual professional consultation should be received, and specific safety instructions should be read prior to any mixing of the substance which is the subject of this SDS with other substances and the stated in this SDS does not cover the entire safety instructions relating to mixing the substance which is the subject of this SDS with other substances and does not constitute a replacement to obtaining specific consultation as stated. Hazmat, Ltd. is not liable to any damage and/ or any loss, financial or otherwise, and will not accept responsibility, directly or indirectly, to damages of any kind, including as a result of failure to update and/ or misunderstanding and/ or misuse/ misinterpretation of the information within the document. Any question arising regarding the use of the SDS should be directed to Hazmat, Ltd., 19 Ha'Melacha st. Rosh Ha'Ayin, Tel: +972-3-9037141, fax: +972-3-9032717, email: hazmat@hazmat.co.il.

The information detailed in this SDS was prepared by Hazmat, Ltd. for the orderer of the SDS and is for their use only. The contents of this SDS is the property of Hazmat, Ltd. only and it is strictly prohibited to copy, modify, edit, distribute, sell or take any other action which involves infringement of Hazmat's copyrights without the prior written consent of Hazmat, Ltd.