

Calcium marine Test Kit Page 1 of 11

Date of issue: 30/07/2015 Date of revision: 21/11/18 Version no.: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Calcium marine

Marine

Product code: R21475

1.2Relevant identified uses of the substance or mixture and uses advised against

Aquarium water quality test kit.

1.3Details of the supplier of the safety data sheet

Red Sea Fish Pharm Ltd Free Trade Industrial Zone Eilat 88000 Israel

Tel: +972-9-9567107

E-mail address of person responsible for this SDS: sharonr@redseafish.com@redseafish.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation): N/A

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200 (OSHA HCS):

Calcium marine test kit

| Reagent A | Reagent B | Reagent C |
|--------------------|----------------|--------------------|
| Met. Corr. 1 H290 | Not classified | Eye Irrit. 2A H319 |
| Skin Corr. 1A H314 | | Skin Irrit. 2 H315 |

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP):

Calcium marine test kit

| Galorani marino tootikit | | |
|--------------------------|----------------|--------------------|
| Reagent A | Reagent B | Reagent C |
| Met. Corr. 1 H290 | Not classified | Eye Irrit. 2 H319 |
| Skin Corr. 1A H314 | | Skin Irrit. 2 H315 |

See section 16 for the full text of the H-statements declared above.



Calcium marine Test Kit Page 2 of 11

Label elements

Labelling according to 29 CFR 1910.1200 (OSHA HCS)

Calcium marine kit - Reagent A

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/eye protection/face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

Calcium marine kit - Reagent B

Hazard pictogram(s): Not required

Signal word: Not required

Hazard statement(s): Not required

Precautionary Statement(s): Not required

Calcium marine test kit - Reagent C

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): Not required

Precautionary Statement(s): Not required

Calcium marine Test Kit Page 3 of 11

Labelling in accordance with Regulation 1272/2008 (CLP)

Calcium marine test kit - Reagent A

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s):

P102: Keep out of reach of children.

P234: Keep only in original container.

P280: Wear protective gloves/ protective clothing/eye protection/face protection.

P301 + P330 + P331 + P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON Center or doctor/physician.

P303 + P361 + P353 + P310: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON Center or doctor/physician. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON Center or doctor/physician.

P363: Wash contaminated clothing before reuse.

Calcium marine test kit - Reagent

B Hazard pictogram(s): Not
required Signal word: Not required
Hazard statement(s): Not required
Precautionary Statement(s): Not required

Calcium marine test kit - Reagent C

Hazard pictogram(s):



<u>Signal word:</u> Warning Hazard statement(s):

Precautionary Statement(s): Not required

P102: Keep out of reach of children.



Calcium marine Test Kit Page 4 of 11

SECTION 3: Composition/information on ingredients

3.2 Mixtures:

Calcium marine test kit - Reagent A

| Substance name | Identifiers | % | CLP Classification | OSHA HCS Classification |
|------------------|-----------------------------------------------|-------|-----------------------|----------------------------|
| Sodium hydroxide | CAS number: 1310-73-2 EC number: 215-185-5 | 10-25 | Skin Corr. 1A H314 | Skin Corr. 1A H314 |

Calcium marine test kit - Reagent B

No components need to be reported according to the applicable regulations.

Calcium marine test kit - Reagent C

| Substance name | Identifiers | % | CLP Classification | OSHAHCS Classification |
|--------------------|-----------------------------------------------|-----|-----------------------|---------------------------|
| Edetic acid (EDTA) | CAS number: 60-00-4 EC number: 200-449-4 | 1-5 | Eye Irrit. 2 H319 | Eye Irrit. 2A H319 |
| Sodium hydroxide | CAS number: 1310-73-2 EC number: 215-185-5 | <1 | Skin Corr. 1A H314 | Skin Corr. 1A H314 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in

section 8. SECTION 4: First aid measures

4.1 Description of first aid measures

Eyes contact: In case of contact with eyes, rinse immediately with plenty of water for at

least 15 minutes. Get medical attention.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty

of water. Get medical attention.

Inhalation: Remove the victim from site of exposure to fresh air. If breathing is difficult, give

oxygen. If not breathing give artificial respiration. Get medical attention.

Ingestion: Do not induce vomiting. If victim is conscious, wash mouth thoroughly with plenty of

water. Never give anything by mouth to an unconscious person. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

4.3 Indication of any immediate medical attention and special treatment needed

Not available

Calcium marine Test Kit Page 5 of 11

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

<u>Suitable</u>: Use extinguishing media suitable to the surroundings such as, dry chemical powder, chemical foam, water spray and carbon dioxide.

Not suitable: N/A

5.2 Special hazards arising from the substance or mixture

The reagents tend to be water based and are not combustible or explosive. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness.

5.3 Advice for firefighters

Special protective equipment for fire fighters: Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Ventilate area of spill.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

6.3Methods and materials for containment and cleaning up

<u>For liquid:</u> Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

<u>For solid:</u> Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

6.4Reference to other sections

See Section 1 for emergency contact information.

Calcium marine Test Kit Page 6 of 11

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapors, mist or gas. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep only in original container. Avoid large temperature changes and store in a cool, dry, well ventilated environment and away from direct sunlight. Keep containers closed when not in use. Keep away from acids, alkalis, oxidizing compounds and metals.

7.3Specific end use(s): N/A

SECTION 8: Exposure control/personal protection

8.1 Control parameters

| Substance name | Occupational exposure limits | |
|------------------|-------------------------------------------|--|
| | ACGIH-TLV 2 mg/m ³ (CEIL) | |
| Sodium hydroxide | OSHA-PEL 2 mg/m³ (TWA) | |
| | NIOSH-REL 2 mg/m ³ (CEIL), 15M | |

8.2 Exposure controls

Engineering measures

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Person protective measures

<u>Respiratory protection:</u> Disposable particulate mask. Be sure to use an approved/certified equipment or equivalent equipment. Wear appropriate respirator when ventilation is inadequate.

Hand protection: Wear protective gloves to prevent skin exposure.

Eye protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required.

However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

Calcium marine Test Kit Page 7 of 11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Calcium marine test kit

| | Reagent A | Reagent B | Reagent C |
|-----------------------------------------------|----------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|
| Appearance: | colorless liquid | Purple powder | colorless liquid |
| Odour: | none | none | none |
| Odour threshold: | N/A | N/A | N/A |
| pH: | ~13 | N/A | N/A |
| Melting point/Freezing point: | N/A | N/A | N/A |
| Initial boiling point/boiling range: | N/A | N/A | N/A |
| Flash point: | N/A | N/A | N/A |
| Evaporation rate: | N/A | N/A | N/A |
| Flammability: | non-combustible | non-combustible | non-combustible |
| Upper/lower flammability or explosive limits: | N/A | N/A | N/A |
| Vapor pressure: | N/A | N/A | N/A |
| Vapor density: | N/A | N/A | N/A |
| Relative Density: | N/A | N/A | N/A |
| Solubility(ies): | completely soluble to give an alkaline solution | completely soluble to give an neutral solution | completely soluble to give an neutral solution |
| Partition coefficient Octanol/Water: | N/A | N/A | N/A |
| Auto-ignition temperature: | N/A | N/A | N/A |
| Decomposition temperature: | N/A | N/A | N/A |
| Viscosity: | N/A | N/A | N/A |
| Explosive properties: | N/A | N/A | N/A |
| Oxidizing properties: | N/A | N/A | N/A |

9.2Other information

Not available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not available.

10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.

10.5Incompatible materials

Acids, alkalis, oxidising compounds and metals. May produce heat.



Calcium marine Test Kit Page 8 of 11

10.6 Hazardous decomposition products

Other decomposition products: not available

in the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation: Not available

Serious eye damage/irritation: Not available

Respiratory or skin sensitization: Not available

<u>Germ cell mutagenicity</u>: No compounds present in the reagents have been identified as having carcinogenic, mutagenic properties.

<u>Carcinogenicity</u>: No compounds present in the reagents have been identified as having carcinogenic, mutagenic properties.

<u>Reproductive toxicity</u>: No compounds present in the reagents have been identified as having Reproductive toxicity.

Specific target organ toxicity (single exposure): Not available

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

Other effects:

Calcium marine test kit - Reagent A is classified as being corrosive due to the level of sodium hydroxide present. and will cause local damage in contact with tissue of the eyes and skin. Inhalation of spray or mist will irritate the respiratory system and ingestion will damage the linings of the mouth, throat and gastro- intestinal tract.

Sodium hydroxide is also present in Calcium marine test kit - Reagent C, though at a much lower level than Calcium marine test kit - Reagent A (<1%) and may cause irritation in contact with tissue of the eyes and skin. Inhalation of spray or mist will irritate the respiratory system and ingestion may damage the linings of the mouth, throat and gastro-intestinal tract.

A compound in Calcium marine test kit - Reagent B is also classified as being an irritant, but at the levels present (<1%), should not have any adverse effect.



Calcium marine Test Kit Page 9 of 11

SECTION 12: Ecological information

12.1 Toxicity

Not available

12.2Persistence and Degradability

Not available

12.3Bioaccumulative potential

Compounds present in the reagents would be readily bio-degradable in the environment.

12.4 Mobility in soil

Though there is no specific information on the mobility of compounds in the reagents, they are soluble under normal environmental conditions in water so would also be expected to be highly mobile in soil.

12.5Results of PBT and vPvB assessment

Not available

12.6 Other adverse effects

Calcium marine test - Reagent A is highly alkaline so may be inadvertently hazardous to aquatic organisms.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

<u>Packing</u>

Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

| 1 | 4.1 | l Ur | า ทเ | ıml | oer |
|---|-----|------|------|-----|-----|
|---|-----|------|------|-----|-----|

<u>ADR/RID:</u> 3316 <u>IMDG:</u> 3316 <u>IATA:</u> 3316 <u>DOT (US):</u> 3316

14.2UN proper shipping name

ADR/RID: CHEMICAL KIT

IMDG: CHEMICAL KIT

IATA: Chemical kit

DOT (US): Chemical kit

14.3Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9 DOT (US): 9

14.4 Packing group

ADR/RID: II <u>IMDG</u>: - <u>IATA</u>: - <u>DOT (US)</u>: -

14.5 Environmental hazard

ADR/RID: - IMDG: - IATA: - DOT (US): -

Calcium marine Test Kit Page 10 of 11

14.6 Special precautions for user

Not available

14.7Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

SECTION 15: Regulatory information

This SDS complies with the following requirements of: EU Directives 67/548/EEC (DSD) and 1999/45/EC (DPD), including amendments EU Regulation (EC) No.1907/2006 (REACH) including amendments Regulation (EC) No.1272/2008 (CLP) 29 CFR 1910.1200 (OSHA HCS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

California Prop. 65 Components

Chemicals known to the state to cause reproductive toxicity:

Ethylene glycol (ingested) CAS 107-21-1

TSCA inventory

All components of the product are listed in the TSCA inventory.

15.2 Chemical safety assessment

Not available

SECTION 16: Other information

NFPA Rating

Calcium marine test kit

| Reagent A | Reagent B | Reagent C |
|----------------------|----------------------|----------------------|
| Health hazard: 3 | Health hazard: 0 | Health hazard: 2 |
| Fire Hazard: 0 | Fire Hazard: 0 | Fire Hazard: 0 |
| Reactivity Hazard: 0 | Reactivity Hazard: 0 | Reactivity Hazard: 0 |

Full text of Hazards Statements referred to in sections 2 and 3:

Skin Corr. - Skin corrosion

Met. Corr. - Substance or mixture corrosive to metals

Eye Irrit.- Eye irritation Skin Irrit. - Skin irritation

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Calcium marine Test Kit Page 11 of 11

Key Legend Information:

CAS - Chemical Abstract Service

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NTP - National Toxicology program

IARC - International Agency for Research on Cancer

N/A - Not available

R-phrases-Risk phrases

H-statements-Hazard statements

TLV - Threshold Limit Value TWA -

Time-weighted average STEL -

Short-Term Exposure Limit CSA -

Chemical safety assessment

TSCA - United States Toxic Substances Control Act Inventory

Date of issue: 03/08/2015

Version no.: 1

This SDS and the information presented within it are based on data held by Hazmat, Ltd. and the current legislation as at the date stated on it. Anyone wishing to make use of the information presented within this document is obligated to update its instructions from time to time. The information presented in the SDS is based on the manufacturer's data and/ or the supplier of the substance/ product which is the subject of this SDS, as provided to Hazmat, Ltd. by the client and in the absence of such data the information was taken from a variety of literary professional sources. The information presented in this SDS is appropriate for the uses specified in paragraph 1 of the SDS only. It is emphasized, that the information specified in this SDS does not replace specific safety instructions for uses of the substance/ product which is the subject of this SDS, which were not explicitly specified in the SDS. Individual professional consultation should be received, and specific safety instructions should be read prior to any mixing of the substance which is the subject of this SDS with other substances and the stated in this SDS does not cover the entire safety instructions relating to mixing the substance which is the subject of this SDS with other substances and does not constitute a replacement to obtaining specific consultation as stated. Hazmat, Ltd. is not liable to any damage and/ or any loss, financial or otherwise, and will not accept responsibility, directly or indirectly, to damages of any kind, including as a result of failure to update and/ or misunderstanding and/ or misuse/ misinterpretation of the information within the document. Any question arising regarding the use of the SDS should be directed to Hazmat, Ltd., 19 Ha'Melacha st. Rosh Ha'Ayin, Tel: +972-3-9037141, fax: +972-3-9032717, email: hazmat@hazmat.co.il.

The information detailed in this SDS was prepared by Hazmat, Ltd. for the orderer of the SDS and is for their use only. The contents of this SDS is the property of Hazmat, Ltd. only and it is strictly prohibited to copy, modify, edit, distribute, sell or take any other action which involves infringement of Hazmat's copyrights without the prior written consent of Hazmat, Ltd.